




intelite **DECO**

_NEW DESIGN_2016





CONTENT

ABOUT InteliteDECO	7
PHILOSOPHY	9

INDOOR 11

JUNG	13
GABEL	15
DUST	19
ECOS	21
FALZER	23
ALTA	25
TILES	27
WAVE	29
CARPET	31
BERRY	35
DRIBBLE	37
RIGA	39
LORETO	41
LUGANO	43
CAREN	45
VISTA	51
VIORA	55
JETTE	59
GLORIA	61
BEAD	63
EDSON	67
RICAM	69
CLEO	71
BLAN	73
SOFT	75
ORSAY	77
TERRA	79
CENOVA	81
LAGO	83
DAMASCO	85
FLEX	91
GRAND	93

OUTDOOR 97

GALAT	99
VENSEL	101
BARRO	105
LORIS	107
MODENA	109
ESTELL	111
EDEN	113
CANOVA	115
COMO	119
TOSCA	121
BOSTON	123
CORDON	127
LIMONT	129
WALL LAMP	131
CASTELL	137
GROUND LIGHT	141
OUTDOOR FLOODLIGHT	151

intelite DECO

LIGHTING EMPHASIZING YOUR STYLE AND PERSONALITY

OUR MISSION

Manufacture beautiful high-quality decorative lighting, innovative and affordable, to help people emphasize their personality, while creating dream homes; and for our partners - to create a successful business.

INTELITE DECO

LED lighting fixtures of new generation.

PHILOSOPHY

SYMBIOSIS BETWEEN QUALITY, DESIGN AND FUNCTIONALITY

Expertise and the will to achieve the highest standards of quality are the basis for the continued development of today's Intelite DECO.

Outstanding quality also deserves a prominent form. Intelite DECO, therefore, preserves the tradition of the classic design principle "form follows function.«

Working together with the European designers we were able to achieve the highest quality standards and unique designs of the modern LED lighting fixtures.

First of all our designers think about you. They truly love urban lifestyle and tend to elaborate functional solutions. Following this path they preserve their personal style, implement bold ideas, and make excellent LED lighting fixtures that can be integrated into any interior.



We create beautiful and ingenious LED lighting fixtures standing out among the others. We will never favor the appearance over functionality and comfort.

All that matters is style, simplicity, functionality and aesthetics

While creating LED lighting fixtures we keep in mind the idea where we can gain more from life. We are convinced that our Intelite DECO collection conveys the idea by means of a sensual minimalistic design. It is functional and will not leave you indifferent.

_I502372



JUNG


MATERIAL Aluminum + Acrylic
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class I
 COLOR white black



_INDOOR


I502336
Ø400*1200

MAX. 36W MAX. 2500LM




I502354
Ø600*1200

MAX. 54W MAX. 3750LM




I502372
Ø800*1200

MAX. 72W MAX. 5000LM



I502390
Ø1000*1200

MAX. 90W MAX. 6250LM





_I403330

GABEL


MATERIAL	Metal
COLOR TEMP	3000K
INPUT	198-242V ~ 50/60Hz
IP	20
CRI	>80
PROTECTION	Class II
COLOR	<input type="checkbox"/> white <input checked="" type="checkbox"/> black



I403315

Ø450*1200


MAX. 15W MAX. 700LM



I403330

Ø600*1200

MAX. 30W MAX. 1400LM





_I302357




DUST

MATERIAL Iron + Acrylic
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black









INDOOR






ECOS

MATERIAL	Aluminum + Acrylic				
COLOR TEMP	3000K / 4000K				
INPUT	100-242V ~ 50/60Hz				
IP	20				
CRI	>80				
PROTECTION	Class II				
COLOR	<table border="0"> <tr> <td></td> <td></td> </tr> <tr> <td>chrome</td> <td>rose gold</td> </tr> </table>			chrome	rose gold
					
chrome	rose gold				




INDOOR



_I044315-3




FALZER

MATERIAL Iron
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR  black-white




INDOOR


I04435
 Ø110*1200
 MAX. 5W MAX. 300LM



I044315-3
 Ø284*1200
 MAX. 15W MAX. 900LM



I04435A
 110*112
 MAX. 5W MAX. 300LM



_I057315-3B



ALTA

MATERIAL Iron + Acrylic
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR



_INDOOR


I05735
 Ø105*1200

MAX. 5W MAX. 350LM




I057315-3A
 426*105*1200

MAX. 15W MAX. 1050LM




I057315-3B
 615*105*1200

MAX. 15W MAX. 1050LM




I057350-10
 Ø456*1200

MAX. 50W MAX. 3500LM



I05735A
 Ø105*175*245

MAX. 5W MAX. 350LM



_I05136




TILES

MATERIAL Iron + Acrylic
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white




_INDOOR


I05136
 Ø58*1200
 MAX. 6W MAX. 350LM



I051318-3
 365*60*1200
 MAX. 18W MAX. 1050LM



I05136A
 58*120*160
 MAX. 6W MAX. 350LM



_1062342-6




WAVE


MATERIAL Iron + Acrylic
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black




I06237
 Ø70*1200
 MAX. 7W MAX. 350LM



I062321-3
 490*80*1200
 MAX. 21W MAX. 1050LM



I062342-6
 575*160*1200
 MAX. 42W MAX. 2100LM





_I346315-5

CARPET

MATERIAL Aluminum + Acrylic
 COLOR TEMP 3000K / 4000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR chrome







INDOOR

I34633
 Ø70*1200
 MAX. 3W MAX. 250LM

I34639-3
 550*100*1200
 MAX. 9W MAX. 750LM

I346315-5
 950*100*1200
 MAX. 15W MAX. 1250LM

I346363-21
 Ø800*1200
 MAX. 63W MAX. 5200LM








I437395-19

BERRY


MATERIAL Iron + Glass
 COLOR TEMP 3000K
 INPUT 198-242V - 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR  white-chrome




I43735
 Ø110*1200
 MAX. 5W MAX. 400LM




I437315-3
 550*110*1200
 MAX. 15W MAX. 1200LM



I437325-5
 950*110*1200
 MAX. 25W MAX. 2000LM



I437395-19
 Ø700*3100
 MAX. 95W MAX. 7600LM




INDOOR

_I075332-9A



DRIBBLE

MATERIAL Iron + Acrylic
 COLOR TEMP 3000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR chrome




INDOOR


I07534
 Ø65*1500
 MAX. 4W MAX. 320LM



I075332-9A
 Ø480*1500
 MAX.32W MAX. 2500LM



I075332-9B
 Ø600*1500
 MAX.32W MAX. 2500LM



_I5001348-20




RIGA

MATERIAL Iron + Acrylic
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II




_INDOOR

I501319-8
 Ø420*1200
 MAX. 19W MAX. 1500LM



I501348-20
 Ø620*1200
 MAX. 48W MAX. 3800LM





_I056330-10

LORETO


MATERIAL Iron + Acrylic
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR



INDOOR


I05633
 Ø80*1200

MAX. 3W MAX. 200LM




I056315-3
 600*80*1200

MAX. 9W MAX. 600LM




I056330-10
 Ø450*1200

MAX. 30W MAX. 2000LM



I05633A
 105*245

MAX. 3W MAX. 200LM



_I522352-22



LUGANO


MATERIAL	Metal + Acrylic + Glass
COLOR TEMP	3000K
INPUT	198-242V ~ 50/60Hz
IP	20
CRI	>80
PROTECTION	Class II



INDOOR


I522352-22
Ø650*770(1320)

MAX. 52W MAX. 4160LM



I5223104-43
Ø650*1250(1800)

MAX. 104W MAX. 8320LM




_I531330-12




CAREN

MATERIAL	Metal + Glass
COLOR TEMP	3000K
INPUT	198-242V ~ 50/60Hz
IP	20
CRI	>80
PROTECTION	Class II




I531330-12
Ø870*950

MAX. 30W MAX. 2485LM




I531340-16
Ø1050*1010

MAX. 40W MAX. 3300LM



I53137-3A
340*270*390

MAX. 7W MAX. 580LM



INDOOR



_I531312-5


CAREN

MATERIAL Metal + Glass
 COLOR TEMP 3000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II




_INDOOR


I53132
 Ø150*1200
 MAX. 2.4W MAX. 195LM




I53137-3
 600*150*1200
 MAX. 7W MAX. 580LM



I531312-5
 950*150*1200
 MAX. 12W MAX. 995LM



I531333-14
 Ø750*1200
 MAX. 33.6W MAX. 2740LM





INDOOR

_I509345-9




VISTA

MATERIAL Metal + Glass
 COLOR TEMP 3000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white and black white and gold



_INDOOR





INDOOR

_I529356-12






VIORA

MATERIAL	Metal + Glass
COLOR TEMP	3000K
INPUT	198-242V ~ 50/60Hz
IP	20
CRI	>80
PROTECTION	Class II
COLOR	<input type="text" value="white"/>



INDOOR



_I509370-9




VIORA

MATERIAL Metal + Glass
 COLOR TEMP 3000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white




_INDOOR


I52935A
 Ø120*1200
 MAX. 5W MAX. 400LM




I52935B
 Ø120*1200
 MAX. 5W MAX. 400LM




I52935C
 Ø150*1200
 MAX. 5W MAX. 400LM




I529314-3
 Ø380*1200
 MAX. 15W MAX. 1200LM



I529329-6
 650*300*1200
 MAX. 30W MAX. 2400LM



I529343-9
 Ø620*1200
 MAX. 45W MAX. 3600LM



_I4693103-16



JETTE


MATERIAL	Aluminum + Acrylic
COLOR TEMP	3000K
INPUT	198-242V ~ 50/60Hz
IP	20
CRI	>80
PROTECTION	Class II
COLOR	chrome



_INDOOR


I468377-16
Ø550*1200

MAX. 77W MAX. 5000LM



I4693103-16
Ø530*1200







MAX. 103W MAX. 6700LM



_I436365-11




GLORIA

MATERIAL	Aluminum + Acrylic				
COLOR TEMP	3000K				
INPUT	198-242V - 50/60Hz				
IP	20				
CRI	>80				
PROTECTION	Class II				
COLOR	<table border="0"> <tr> <td></td> <td></td> </tr> <tr> <td>chrome</td> <td>rose gold</td> </tr> </table>			chrome	rose gold
					
chrome	rose gold				




I436365-11
800*170*1200

MAX. 65W MAX. 4225LM




I436310
250*320*82

MAX. 10W MAX. 650LM



I436346-2
Ø600*1200

MAX. 46W MAX. 2990LM



INDOOR




I312357-16

BEAD

MATERIAL Iron
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black chrome



INDOOR









1765320

EDSON

MATERIAL Aluminum+Acrylic
 DESCRIPTION MAX. 20W MAX. 1250LM
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class I
 COLOR white black



1765320
1000*50*1200

_I431312S_I431322S_I431330



RICAM


MATERIAL Iron+Acrylic
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II



INDOOR


I431312S
 Ø220*90

MAX. 12W MAX. 820LM




I431322S
 Ø330*90

MAX. 22W MAX. 1500LM




I431330
 Ø410*90

MAX. 30W MAX. 2050LM



I431363-3
 645*540*1200

MAX. 63W MAX. 4300LM



_I428315S_I428315M_I428315L




CLEO

MATERIAL Iron+Acrylic
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >85
 PROTECTION Class II
 COLOR white black gold




INDOOR


I428315S
 282*244*78
 MAX. 15W MAX. 900LM



I428315M
 282*244*148
 MAX. 30W MAX. 2050LM



I428315L
 282*244*218
 MAX. 63W MAX. 4300LM




_1444321-3




BLAN


MATERIAL Aluminum + Acrylic
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black gold




I44437
 185*160
 MAX. 7W MAX. 470LM



I444314-2
 320*185
 MAX. 14W MAX. 940LM



I444321-3
 325*320
 MAX. 21W MAX. 1410LM




INDOOR

_I765320



SOFT

MATERIAL Iron + Acrylic
 DESCRIPTION MAX. 15W MAX. 730LM
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >85
 PROTECTION Class II
 COLOR white gold



I507315
 305*85

_I429384-7



ORSAY


MATERIAL	Aluminum
COLOR TEMP	3000K
INPUT	100-242V ~ 50/60Hz
IP	20
CRI	>80
PROTECTION	Class II
COLOR	<input type="checkbox"/> white <input checked="" type="checkbox"/> black



INDOOR


I429315
330*169*63

MAX. 12W MAX. 900LM




I429348-4A
715*392*73

MAX. 48W MAX.3600LM




I429384-7
615*720*73

MAX. 84W MAX. 6300LM



I429348-4B
1320*169*605

MAX. 48W MAX.3600LM



_I508365L




TERRA

MATERIAL Iron + Acrylic
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black



INDOOR




_I304318AC




CENOVA

MATERIAL PC + PMMA
 DESCRIPTION MAX.18W MAX. 1400LM
 COLOR TEMP 3000K / 4500K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II



I304318AC
 330/350*60


_INDOOR




_I43037

LAGO


MATERIAL Aluminum
 COLOR TEMP 3000K
 INPUT 100-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black



I43036
 220*100*55
 MAX. 6W MAX. 480LM



I43037
 290*130*55
 MAX. 7W MAX.550LM




_I516312



DAMASCO

MATERIAL Aluminum + Acrylic
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white black



I51437
 Ø235*55
 MAX. 7W MAX. 450LM

I515312
 270*270*50
 MAX. 12W MAX. 1000LM

I516312
 220*220*50
 MAX. 12W MAX. 950LM

_INDOOR



_I51738



DAMASCO

MATERIAL Aluminum + Acrylic
 COLOR TEMP 3000K / 4000K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II
 COLOR white



I519312
 250*130*45
 MAX. 12W MAX. 650LM

I51738
 120*260*40
 MAX. 8W MAX. 450LM

I51836
 275*120*115
 MAX. 6W MAX. 370LM

_INDOOR

_1630317



FLEX

MATERIAL Aluminum + PC
 DESCRIPTION MAX. 17W MAX. 810LM
 COLOR TEMP 3000K / 4500K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >85
 PROTECTION Class II
 COLOR



1630317
 Ø150*72

_INDOOR



_I081412

GRAND

MATERIAL Aluminum + PC
 COLOR TEMP 3000K / 4500K / 6000K
 INPUT 198-242V ~ 50/60Hz
 IP 20
 CRI >80
 PROTECTION Class II



I082412
 115*80
 MAX. 12W MAX. 700LM

I082418
 145*80
 MAX. 18W MAX. 1200LM

I082424
 165*80
 MAX. 24W MAX. 1500LM

I081412
 Ø115*80
 MAX. 12W MAX. 700LM

I081418
 Ø145*80
 MAX. 18W MAX. 1200LM

I081424
 Ø165*80
 MAX. 24W MAX. 1500LM



INDOOR





OUTDOOR

Functionality may be the key but details determine everything. Details complete the image and make the design unique.

Beauty is in the eye of the beholder. But is that the key? We create LED lighting fixtures which are gorgeous but what is more important they are functional and change your life for the better.

_013846



GALAT

MATERIAL	Aluminum + PC diffuser
DESCRIPTION	Max. 6W Max. 420Lm, 60LED 3014 SMD
COLOR TEMP	3000K / 4000K
INPUT	198-242V ~ 50/60Hz
POWER FACTOR	>0,9
IP	54
CRI	>80
PROTECTION	Class I
COLOR	<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 10px; background-color: darkgrey; margin-right: 5px;"></div> dark grey <div style="width: 15px; height: 10px; background-color: silvergrey; margin-left: 10px; margin-right: 5px;"></div> silver grey </div>

013846-570
75*151*570


013846-850
75*215*850

013846-1000
75*285*1000

013846
75*116*211


OUTDOOR

_017449S



017449-600
293*90*600




017449-600S 
293*90*600
WITH PIR
SENSOR


VENSEL

V **017449-1000**
293*90*1000

017449
300*90*90

T **017449-1000S** 
293*90*1000
WITH PIR
SENSOR

017449S 
292.7*90*145
WITH PIR
SENSOR

MATERIAL	Aluminum + PC diffuser
DESCRIPTION	Max. 9W Max. 550Lm, 96LED 3014 SMD
COLOR TEMP	3000K / 4000K
INPUT	198-242V ~ 50/60Hz
POWER FACTOR	>0,8
IP	54
CRI	>80
PROTECTION	Class I
COLOR	 dark grey silver grey


OUTDOOR



_016749



BARRO

MATERIAL Aluminum + PC diffuser
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR  dark grey silver grey



016749-250
 50*100*250

Max. 9W Max. 600Lm
 2*48LED 3014 SMD

0167417-600
 50*100*600

Max. 17W Max. 1000Lm
 2*120LED 3528 SMD

016749
 100*78*210

Max. 9W Max. 600Lm
 2*48LED 3014 SMD

_OUTDOOR



_018547S
_018547-600S

LORIS


MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 7W Max. 480Lm, 72LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR
 dark grey silver grey




018547-600
124*132*600

018547-1000
124*132*1000

018547
84*122*190


018547-600S 
124*132*600
WITH PIR
SENSOR

018547-1000S 
124*132*1000
WITH PIR
SENSOR

018547S 
84*122*190
WITH PIR
SENSOR


OUTDOOR


_012946S




MODENA

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 6W Max. 420Lm, 60LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,7
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR dark grey silver grey

012946-600S 
 156*138*600
 WITH PIR SENSOR

012946-1000S 
 156*138*1000
 WITH PIR SENSOR

012946S 
 120*120*90
 WITH PIR SENSOR

OUTDOOR

_019249-1000S




ESTELL

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 9W Max. 600Lm, 96LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR dark grey silver grey



OUTDOOR

_017546-1000



017546-600
150*60*600 / 8500

017546-1000
150*60*1000

017546
130*150*60

EDEN

- MATERIAL Aluminum + PC diffuser
- DESCRIPTION Max. 6W Max. 350Lm, 36LED 2835 SMD
- COLOR TEMP 3000K / 4000K
- INPUT 198-242V ~ 50/60Hz
- POWER FACTOR >0,8
- IP 54
- CRI >80
- PROTECTION Class I
- COLOR dark grey silver grey

_OUTDOOR

_0118410-1000S



CANOVA

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 10W Max. 600Lm, 96LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR
 dark grey silver grey



OUTDOOR



_013945



COMO

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 5W Max. 320Lm, 48LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR dark grey silver grey

013945-600
120*207*600

013945-1000
120*207*1000

013945
80*185*100

OUTDOOR

_0117410S



TOSCA

Head can swing in 0-90°

MATERIAL	Aluminum + PC diffuser
DESCRIPTION	Max. 10W Max. 650Lm, 96LED 3014 SMD
COLOR TEMP	3000K / 4000K
INPUT	198-242V ~ 50/60Hz
POWER FACTOR	>0,8
IP	54
CRI	>80
PROTECTION	Class I
COLOR	<div style="display: flex; align-items: center; gap: 10px;"> <div style="width: 15px; height: 10px; background-color: black; border: 1px solid black;"></div> dark grey <div style="width: 15px; height: 10px; background-color: #cccccc; border: 1px solid black;"></div> silver grey </div>



OUTDOOR

_021049-600S



BOSTON

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 10W Max. 600Lm, 44LED 2835 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR dark grey silver grey



021049-600
 100*100*1000
 100*100*600


021049-1000
 100*100*1000




021049
 60*120*220



021049-600S 
 100*100*600
 WITH PIR
 SENSOR

021049-1000S 
 100*100*1000
 WITH PIR
 SENSOR



021049S 
 60*120*220
 WITH PIR
 SENSOR

OUTDOOR




_0212410-1000S




0212410-600
150*80*600

0212410-1000
150*80*1000



0212410
150*80*100

0212410-600S 
150*80*600
WITH PIR
SENSOR

0212410-1000S 
150*80*1000
WITH PIR
SENSOR

0212410S 
150*80*100
WITH PIR
SENSOR

CORDON

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 9W Max. 540Lm, 2*48LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR  

OUTDOOR



0211410-600
0211410

LIMONT

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 10W Max. 600Lm, 96LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER >0,8
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR
 dark grey silver grey



0211410-600
170*114*600


0211410-1000
170*114*1000

0211410 
170*114*120 WITH PIR SENSOR

0211410S 
170*114*120 WITH PIR SENSOR

OUTDOOR

_018046



018046
82*104*90

- MATERIAL Aluminum + PC diffuser
- DESCRIPTION Max. 6W Max. 200Lm, 2*3W Power LED
- COLOR TEMP 3000K / 4000K
- INPUT 198-242V ~ 50/60Hz
- POWER FACTOR >0,8
- IP 54
- CRI >80
- PROTECTION Class I
- COLOR dark grey silver grey

_018046




OUTDOOR

_013149



013149
120*70*60


MATERIAL Aluminum + PC diffuser
DESCRIPTION Max. 9W Max. 2*300Lm, 2*48LED 3014 SMD
COLOR TEMP 3000K / 4000K
INPUT 198-242V ~ 50/60Hz
POWER FACTOR >0,9
IP 54
CRI >80
PROTECTION Class I
COLOR 
dark grey silver grey



_0188420

GINAS

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 20W Max. 900Lm, 100LED 3014 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,9
 IP 54
 CRI >80
 PROTECTION Class I
 COLOR dark grey silver grey



0188420
250*250*49

0188420S
250*250*49



0189420
Ø300*50

0189420S
Ø300*50



OUTDOOR




_0216420

GINAS

MATERIAL Aluminum + PC diffuser
 DESCRIPTION Max. 20W Max. 1000Lm, 96LED 2835 SMD
 COLOR TEMP 3000K / 4000K
 INPUT 198-242V ~ 50/60Hz
 POWER FACTOR >0,9
 IP 65
 CRI >80
 PROTECTION Class I
 COLOR dark grey silver grey



0216420
250*250*50

0216420S 
250*250*50
WITH MICROWAVE SENSOR




0217420
Ø300*50

0217420S 
Ø300*50
WITH MICROWAVE SENSOR


OUTDOOR



_032131



032031
63*85





032131
63*63*85

MATERIAL Stainless steel top. Nature aluminum body
 DESCRIPTION Max. 1W Max. 100Lm
 COLOR TEMP 3000K
 INPUT 100-240V ~ 50/60Hz
 POWER FACTOR >0,5
 IP 67
 CRI >80
 PROTECTION Class I



041033




041033
88*76

041133
88*88*76


MATERIAL Stainless steel top. Nature solid aluminum body
DESCRIPTION Max. 3W Max. 500Lm
COLOR TEMP 3000K
INPUT 100-240V ~ 50/60Hz
POWER FACTOR >0,5
IP 67
CRI >80
PROTECTION Class I



042039



042039
120*128



042139
120*120*128

MATERIAL Stainless steel top. Nature solid aluminum body
 DESCRIPTION Max. 9W Max. 900Lm
 COLOR TEMP 3000K
 INPUT 100-240V ~ 50/60Hz
 POWER FACTOR >0,9
 IP 67
 CRI >80
 PROTECTION Class I



_055039



055039
145*130




055139
145*145*130


MATERIAL Stainless steel top. Nature solid aluminum body
 DESCRIPTION Max. 9W Max. 800Lm
 COLOR TEMP 3000K
 INPUT 100-240V ~ 50/60Hz
 POWER FACTOR >0,9
 IP 67
 CRI >80
 PROTECTION Class I



_040223



040033
88*105



040133
88*105



040233
88*105

MATERIAL Nature aluminum
 DESCRIPTION Max. 3W COB LED, Max. 300Lm
 COLOR TEMP 3000K
 INPUT 100-240V ~ 50/60Hz
 POWER FACTOR >0,5
 IP 67
 CRI >80
 PROTECTION Class I

_073436



CASTELL

MATERIAL	Die-casting aluminum. Tempered glass	DESCRIPTION	Max. 3W COB LED Max. 300Lm
COLOR TEMP	3000K	POWER FACTOR	>0,5
INPUT	AC 240V ~ 50/60Hz		
IP	65		
CRI	>80		
PROTECTION	Class I		

073333
82*100

073436
110*120

073539
105*180

Max. 6W COB LED
Max. 600Lm
>0,5

Max. 9W COB LED
Max. 900Lm
>0,9



OUTDOOR

MODENA

LORIS

ESTELL

GALAT

CORDON

CANOVA

COMO

LIMONT

EDEN

BOSTON

VENSEL

TOSCA

BARRO

intelite **DECO**

Lighting emphasizing your style and personality



MAXUS[®]
INTERNATIONAL CORPORATION

www.intelite-deco.com

contact@maxus.com.ua

0 800 50 34 56